

Certificate ID: **30762**

 Received: **5/16/2018**
CBD American Shaman

 Client Sample ID: **Water Soluble Hemp Oil 0 THC**

Lot Number:

 Matrix: **Concentrates/Extracts - Ice/Water**


Authorization: Matthew Silva, Chemical Engineer	Signature: 	Date: 5/29/2018
---	--	---------------------------



The data contained within this report was collected in accordance with the requirements of ISO/IEC17025:2005. I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

CN: Cannabinoid Profile & Potency [WI-10-04]

 Analyst: *RAS*

 Test Date: *5/25/2018*

The client sample was analyzed for plant-based cannabinoids by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations.

30762-CN

ID	Weight %	Conc.			
Δ9-THC	ND	ND			
THCV	ND	ND			
CBD	1.11 wt %	11.09 mg/mL			
CBDV	0.01 wt %	0.05 mg/mL			
CBG	ND	ND			
CBC	ND	ND			
CBN	ND	ND			
THCA	ND	ND			
CBDA	ND	ND			
CBGA	ND	ND			
Total	1.12 wt%	11.14 mg/mL	0%	Cannabinoids (wt%)	1.1%
Max THC	-	-			
Max CBD	1.11 wt%	11.09 mg/mL			

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. ND = None detected above the limits of detection (LLD)

HM: Heavy Metal Analysis [WI-10-13]

Analyst: JFD

Test Date: 5/25/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

30762-HM

Symbol	Metal	Conc. ¹	Units	MDL	Use Limits ²		Units	Status
					All	Ingestion		
As	Arsenic	ND	µg/kg	4	200	1500	µg/kg	PASS
Cd	Cadmium	ND	µg/kg	1	200	500	µg/kg	PASS
Hg	Mercury	ND	µg/kg	2	100	1500	µg/kg	PASS
Pb	Lead	ND	µg/kg	2	500	1000	µg/kg	PASS

1) ND = None detected to Lowest Limits of Detection (LLD)

2) MA Dept. of Public Health: Protocol for MMJ and MIPS, Exhibit 4(a) for all products.

3) USP exposure limits based on daily oral dosing of 1g of concentrate for a 110 lb person.

YM: Yeast and Mold Contaminants [WI-10-09]

Analyst: MS

Test Date: 5/16/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

30762-YM

Symbol	Analysis	Results	Units	Limits*	Status
YM	Total Yeast & Mold	<100	CFU/g	1,000 CFU/g	PASS

MB2: Pathogenic Bacterial Contaminants [WI-10-10]

Analyst: matt

Test Date: 5/17/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

30762-MB2

Test ID	Analysis	Results	Units	Limits*	Status
30762-ECPT	E. coli (O157)	Negative	NA	Non Detected	PASS
30762-SPT	Salmonella	Negative	NA	Non Detected	PASS

Note: All recorded pathogenic bacteria tests passed.

MY: Mycotoxin Testing [WI-10-05]

Analyst: CJB

Test Date: 5/17/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

30762-MY

Test ID	Date	Results	MDL	Limits	Status*
Total Aflatoxin	5/17/2018	< MDL	3 ppb	< 20 ppb	PASS
Total Ochratoxin	5/17/2018	< MDL	2 ppb	< 20 ppb	PASS

PST: Pesticide Analysis [WI-10-11]

Analyst: KSB

Test Date: 5/29/2018

The client sample was analyzed for pesticides using Liquid Chromatography with Mass Spectrometric detection (LC/MS/MS). The method used for sample prep was based on the European method for pesticide analysis (EN 15662).

30762-PST

Analyte	CAS	Result	Units	LLD	Limits (ppb)	Status
Abamectin	71751-41-2	ND	ppb	0.20	100	PASS
Azoxystrobin	131860-33-8	ND	ppb	0.10	100	PASS
Bifenazate	149877-41-8	ND	ppb	0.10	100	PASS
Bifenthrin	82657-04-3	ND	ppb	0.20	3000	PASS
Cyfluthrin	68359-37-5	ND	ppb	0.50	2000	*
Daminozide	1596-84-5	ND	ppb	10.00	10	PASS
Dichlorvos	62-73-7	ND	ppb	3.00	10	*
Etoxazole	153233-91-1	ND	ppb	0.10	100	PASS
Fenoxycarb	72490-01-8	ND	ppb	0.10	10	PASS
Imazalil	35554-44-0	ND	ppb	0.10	10	PASS
Imidacloprid	138261-41-3	ND	ppb	0.10	5000	PASS
Myclobutanil	88671-89-0	ND	ppb	0.10	100	PASS
Paclobutrazol	76738-62-0	ND	ppb	0.10	10	PASS
Piperonyl butoxide	51-03-6	ND	ppb	0.10	3000	PASS
Pyrethrin	8003-34-7	ND	ppb	0.1	500	PASS
Spinosad	168316-95-8	ND	ppb	0.1	100	PASS
Spiromesifen	283594-90-1	ND	ppb	0.10	100	PASS
Spirotetramat	203313-25-1	ND	ppb	0.10	100	PASS
Trifloxystrobin	141517-21-7	ND	ppb	0.10	100	PASS

* Testing limits for inhalation established by the State of California: CCR, Title 16, Division 42, Chapter 5, Section 5313. ND indicates "none detected" above the lower limit of detection (LLD). Analytes marked with (*) indicate analytes for which no recovery was observed for a pre-spiked matrix sample.


TP: Terpenes Profile [WI-10-08]

Analyst: CJH

Test Date: 5/23/2018

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

30762-TP



Total Terpene: 1.6 wt%

* Indicates qualitative calculation based on recorded peak areas.

VC: Analysis of Volatile Organic Compounds [WI-10-07]*Analyst: CJH**Test Date: 5/23/2018*

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

30762-VC

Compound	CAS	Amount ¹	Limit ²	Status
Propane	74-98-6	ND	N/A	-
Isobutane	75-28-5	ND	5,000 ppm	PASS
Butane	106-97-8	ND	5,000 ppm	PASS
Methanol	67-56-1	ND	3,000 ppm	PASS
Ethanol	64-17-5	ND	5,000 ppm	PASS
Ethyl Ether	60-29-7	ND	5,000 ppm	PASS
2,2-Dimethylbutane	75-83-2	ND	N/A	-
Acetone	67-64-1	ND	5,000 ppm	PASS
Isopropanol	67-63-0	ND	5,000 ppm	PASS
Acetonitrile	75-05-8	ND	410 ppm	PASS
Hexane	110-54-3	ND	290 ppm	PASS
2-Butanone	78-93-3	ND	N/A	-
Heptane	142-82-5	ND	5,000 ppm	PASS

1) ND = None detected above 5 ppm.

2) In ppm, based on USP recommended limits for residual solvents, adopted by the Massachusetts Department of Public Health on 3/31/16. Butane/Propane limits are based on limits established for state of Colorado.

END OF REPORT